



Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), MAHARASHTRA)

To,

The owner

SURYAKANT KAKADE

Plot No.67/68, Sanmitra Bunglow, Off. Karve Road, Abhinav School Lane,  
Opp. Telephone Exchange, Pune -411004

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity  
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)  
in respect of project submitted to the SEIAA vide proposal number  
SIA/MH/INFRA2/446846/2023 dated 04 Oct 2023. The particulars of the  
environmental clearance granted to the project are as below.

1. EC Identification No.	EC24B038MH150973
2. File No.	SIA/MH/INFRA2/446846/2023
3. Project Type	Expansion
4. Category	B
5. Project/Activity including Schedule No.	8(a) Building and Construction projects
6. Name of Project	Expansion in redevelopment of Residential Cum Commercial project "Sarvatra Co-Op HSG Society" By SURYAKANT KAKADE ASSOCIATES
7. Name of Company/Organization	SURYAKANT KAKADE
8. Location of Project	MAHARASHTRA
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page  
no 2 onwards.

Date: 08/02/2024

(e-signed)  
Pravin C. Darade , I.A.S.  
Member Secretary  
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification  
number & E-Sign generated from PARIVESH. Please quote identification  
number in all future correspondence.*

*This is a computer generated cover page.*

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environmental Single-Window Hub)



**STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY**

No. SIA/MH/INFRA2/446846/2023  
Environment & Climate Change  
Department  
Room No. 217, 2<sup>nd</sup> Floor,  
Mantralaya, Mumbai- 400032.

To  
M/s.SURYAKANT KAKADE & ASSOCIATES.  
Paud Road, Mauje Kothrud,  
Dist.- Pune, Maharashtra

**Subject :** Environmental Clearance for Redevelopment of Residential & Commercial Project "SARVATRA CO-OP HSG SOCIETY" S.No. 135h.no5+2+8/1/A,4B,7+6/B, Corresponding CTS No. 751, Paud Road, Mauje Kothrud, Dist.- Pune, Maharashtra by M/s.SURYAKANT KAKADE & ASSOCIATES.

**Reference :** Application no- SIA/MH/INFRA2/446846/2023.

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 185<sup>th</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 273<sup>th</sup> (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 4<sup>th</sup> January, 2024.

2. Brief Information of the project submitted by you is as below: -

1.	Proposal No.	SIA/MH/INFRA2/446846/2023	
2.	Name of Project	Redevelopment of Residential & Commercial Project "SARVATRA CO-OP HSG SOCIETY"	
3.	Project category	8(a), B2	
4.	Type of Institution	Private	
5.	Project Proponent	Name	SURYAKANT KAKADE & ASSOCIATES Mr. Suryakant Kakade
		Regd. Office address	Plot no. 67/68, Sanmitra bungalow, Off. Karve Road, Abhinav school lane, Opp. Telephone Exchange, Pune – Maharashtra- 411004.
		Contact number	020-25462244 / 25461515
		e-mail	suryakantkakade@yahoo.co.in
6.	Consultant	Sneha Hi-Tech Products Pvt. Ltd. Accredited Certificate No. NABET/EIA/2124/RA 0235 dated 05.04.2022 valid till 15.02.2024	
7.	Applied for	Expansion in project- Redevelopment	
8.	Details of previous EC	EC has obtained vide no. EC23B038MH137916 on 18/05/2023	

9.	Location of the project	S.No.135h.no5+2+8/1/A,4B,7+6/B, Corresponding CTS No. 751, Paud Road, Mauje Kothrud, Dist.- Pune, Maharashtra			
10.	Latitude and Longitude	Latitude: 18°30'23.85"N, Longitude: 73°48'48.19"E			
11.	Total Plot Area(m <sup>2</sup> )	12,660.55 sq.m			
12.	Deductions(m <sup>2</sup> )	520.90 sq.m.			
13.	Net Plot area(m <sup>2</sup> )	12,139.65 sq.m			
14.	Proposed FSI area(m <sup>2</sup> )	78,446.52 sq.m			
15.	Proposed non-FSI area(m <sup>2</sup> )	34,972.95 sq.m			
16.	Proposed TBUA (m <sup>2</sup> )	1,13,419.47 sq.m.			
17.	TBUA (m <sup>2</sup> ) approved by Planning Authority till date	In Process			
18.	Ground coverage (m <sup>2</sup> ) & %	8443.48 sq.m (70.80% of Net plot area)			
19.	Total Project Cost (Rs.)	Rs.400/-cr.			
20.	CER as per MoEF & CC circular Dated 01/05/2018	Activity	Location	Cost (Rs.)	Duration
NA, per Memorandum 22-65/2017-IA-III dated 25th February 2021					
21.	<b>Details of Building Configuration:</b> <Please use following legends: Floor=F, Parking=Pk, Podium=Po, Stilt=St, Lower Ground=LG, Upper Ground=UG, Basement=B, Shops=Sh.>				Reason for Modification/Change
<b>Existing Configuration</b>		<b>Proposed Configuration</b>			
Building Name	Configuration	Building Name	Configuration	Height (in meter)	Modification/Change
Building A	B+P+UG+3 Comm. Floors +10 Resi. floors	Building A	B+P+UG+Mezz +3 Comm. Floors +10 Resi. floors	48.05	No change
Building D	3B+ P+24 Resi. Floors	Building D	4B+ P+24 Resi. Floors	74.05	Increased by 1 basement
Building E	3B+ P+23 Resi. Floors	Building E	4B+ P+23 Resi. Floors	71.10	Increased by 1 basement
Club House	G +1 floor	Club House	G +1 floor	12.00	No change
22.	Total number of tenements	Number of tenements/ shops/office-Tenements- 541 Nos. Shops- 4 Nos. Offices- 30 Nos.  Number of expected users – Total – 3452Nos. Tenements- 2705 Nos. Shops- 412 Nos. Offices- 270 Nos. Visitors – 65 Nos.			
23.	Water Budget	Dry Season (CMD)		Wet Season (CMD)	
		Fresh Water	272	Fresh Water	272

		Recycled (flushing)	137	Recycled (flushing)	137
		Recycled water (Gardening)	7	Recycled water (Gardening)	0
		Swimming Pool	-	Swimming Pool	-
		Total	416	Total	409
		Waste water generation	368	Waste water generation	368
24	Water Storage Capacity for Firefighting / UGT		Residential	Commercial	
		Fire Fighting Tank (CMD)	500	-	
		Domestic water tank (CMD)	525	50	
		Drinking water tank (CMD)	66	-	
		Flushing Tank in STP (CMD)	135	30	
25	Source of water	PMC / Treated water from STP/ Potable Tanker water			
26	Rainwater Harvesting (RWH)	Level of the Ground water table:	Summer Season – 15.67 m. to 21.67 m. BGL. (18.67 BGL Average) Rainy Season – 4.00 m. to 9.00 BGL. (6.50 BGL Average) Winter Season – 9.84 m. to 15.34 m. BGL. (12.59 BGL Average)		
		Size and no. of RWH tank(s) and Quantity:	NA		
		Quantity and size of recharge pits:	Total 6 Nos. (2 For Roof Top & 4 for Surface Run Off) 1.25 m. X 2.00 m. X 1.75 m. via 0.9 m. dia. 1 m. deep De-siltation pit for roof top & 1.25 m. X 2.00 m. X 1.25 m. via 2 no. of 0.9 m. dia. 1 m. deep De-siltation pits		
		Details of UGT tanks if any:	-		
27	Sewage and Wastewater	Sewage generation in CMD:	368		
		STP technology:	MBBR		
		Capacity of STP (CMD):	1X400 KLD		
28	Solid Waste Management during Construction Phase	Type	Quantity(kg/d)	Treatment/disposal	
		Dry waste:	15 kg/day	Handed over to municipal facility for disposal	
		Wet waste:	10 kg/day		
		Construction waste	At actual	Utilized on site at maximum extent. Rest handed over to local body	
29	Solid Waste Management during Operation Phase	Type	Quantity(kg/d)	Treatment/disposal	
		Dry waste:	648 kg/day	Handed over to Authorized Agency for disposal	
		Wet waste:	884 kg/day	Treated in OWC	

		Hazardous waste:	Negligible		
		Biomedical waste	Biomedical waste like Mask, Gloves, Face shields etc. (required for Pandemic situation)	Shall be segregated at designated place near OWC and shall be given to authorized vendor for management.	
		E-Waste	10 Kg/day	Handed over to Authorized recycler for further handling & disposal purpose.	
		STP Sludge (dry)	37 kg/day	Used as manure for gardening	
30	Green belt	Total RG area	Required: 1213.97 m <sup>2</sup> Proposed: 1919.17 m <sup>2</sup> Additional RG on Ground: 817.19 m <sup>2</sup> Total Green area: 2044.64 m <sup>2</sup>		
		Number of trees required to be planted	175 nos.		
		Existing trees on plot	229 nos.		
		Number of trees to be cut:	63no.		
		Number of trees to be retained:	79 no.		
		Number of trees to be transplanted:	87 No		
31	Power	Source of power supply:	MSEDCL		
		During Construction Phase (Demand Load):	49 KW		
		During Operation phase (Connected load):	2551 KW		
		During Operation phase (Demand load):	1658 KW		
		Transformer:	630 KVA X 6 Nos		
		DG set:	2X365 KVA		
		Fuel used:	Diesel		
32	Details of Energy saving	Total Saving = 20.66 % Saving through renewable energy- 14.43%			
33	Environmental Management plan budget during construction phase	Type	Details	Total Cost (Rs. Lakhs )	
		Capital Cost (Rs. Lakhs)	Site Barricading, Personal Protective Equipment, Site Sanitation- Mobile toilets & Debris Management	10	
		O & M Cost (Rs. Lakhs per annum)	Water for Dust Suppression	2	
			Site Sanitation , Disinfection & Safety	1.5	
			Environmental Monitoring	2	
			Health Check up	2.5	
			Environment Management Cell	6.4	
			Total	24.4	
34	Environmental Management plan	Component	Details	Capital Cost (Lakhs)	O & M Cost (Lakhs)
		Sewage treatment	STP Operation and its maintenance	47.26	12.28

budget during Operation phase	Sewage Water disposal	Connection to external line	1.20	0.12
	RWH & Storm water	Recharging existing ground water table, SWD - Connection to external line	7.5	0.30
	Storm Water	Connection to external line	1.80	0.12
	Solid Waste	Collection Segregation, management and treatment of MSW	21.75	6.40
	Green belt development	Plantation of trees and maintenance	55.0	3.5
	Energy saving	Energy saving measures	250.88	12.9
	Environmental Monitoring	To monitor sustainability of Environmental Infrastructure	-	3.0
	Environment Management Cell	--	-	0.65
	Disaster Management	Emergency preparedness plan to develop and implement on site	75	15
	Biomedical Waste Management	Handling segregation and management of waste like mask, shields, PPE kits etc.	-	1.2
Total			460.39	55.47
35	Traffic Management	Required as per DCR	Actual Provided	Area per parking (m <sup>2</sup> )
	4-Wheelers	310	608	12.5
	2-Wheelers	401	40	
36	Details of Court cases/ litigations w.r.t .the project and project location if any.			No

Sr. No.	Particular	Details as per EC dated- 18/05/2023	As per Expansion in EC	Remark
1	No. of tenements & shops	Tene. 542 Nos. Shops- 4 Nos. Offices- 30Nos.	Tene. 541 Nos. Shops- 4 Nos. Offices- 30Nos.	Decreased by 1 tenement
2	Occupancy/ Users (in nos.)	Number of expected users -3457 Nos.	Number of expected users -3452 Nos.	Decreased by 5 nos.
3	Domestic water (m <sup>3</sup> /day)	272	272	No change

4	Flushing water (m3/day)	137	137	No change
5	Gardening water (m3/day)	7	7	No change
6	Sewage generation(m3/day)	368	368	No change
7	STP capacity (in KLD)	1 X 400 KLD	1 X 400 KLD	No change
8	No. of recharge pits	6	6	No change
9	Dry waste (kg/day)	648	648	No change
10	Wet waste (kg/day)	884	884	No change
11	Sludge generation (Kg/day)	37	37	No change
12	Total Connected Load (KW)	2551	2551	No change
13	Maximum Demand Load (KW)	1658	1658	No change
14	No. of DG sets (KVA)	DG. Set – 82.5 KVA – 1 No, & 200 KVA -1 No	DG. Set – 365 KVA – 2 No	Capacity increased
15	No. of transformers (KVA)	630 KVA X 4 Nos. & 315 KVA X 1 No	630 KVA X 6 Nos.	Capacity increased & 1 transformers increased
16	RG Area (sq.mt)	1213.97	1919.17	Increased by 705.2
17	Total no. of trees	152	152	No Change
18	Parking area (in Sq.m)	19670.17	25443.66	Increased by 5773.49 sq.m.
19	No. of Cars	608	608	No change

3. The proposal has been considered by SEIAA in its 273<sup>rd</sup> (Day-2) meeting held on 4<sup>th</sup> January, 2024. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

**Specific Conditions:**

**A. SEAC Conditions-**

1. PP to submit copy of IoD and Fire NOC
2. Details of Compensatory plantation be submitted
3. Energy saving should be increased.
4. PP to submit Certified Compliance Report (CCR), from Regional Office, MoEFCC, Nagpur.
5. PP to submit the undertaking for the maintenance of the plantation for 7 years which was proposed to plant outside the project site.
6. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
7. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

**B. SEIAA Conditions-**

1. PP has provided mandatory RG area of 1213.97 m<sup>2</sup> on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.

3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for-FSI- 78,446.52 m<sup>2</sup>, Non FSI-34,972.95 m<sup>2</sup>, total BUA-1,13,419.47 m<sup>2</sup>. (Plan approval No-Zone-6/6650, dated-28.02.2023)

**General Conditions:**

**a) Construction Phase :-**

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air

and noise emission standards.

- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

**B) Operation phase:-**

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space

should be utilized.

- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

**C) General EC Conditions:-**

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification,

2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade  
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur.

5. District Collector, Pune.
6. Commissioner, Municipal Corporation PMC.
7. Regional Officer, Maharashtra Pollution Control Board, Pune.



